


Nuclei «C» sostitutivi lamierino tranciato - EI

«C» Cores from stamp laminations design



Nuclei «C» spessore 0,30 mm A.S.G.O.
 $f = 50 \text{ Hz}$; $B_{\text{max}} = 1,7 \text{ Wb/m}^2$

Strip thickness 0,30 mm G.O.S.S.
 $f = 50 \text{ Hz}$; $B_{\text{max}} = 1,7 \text{ Wb/m}^2$

* La quota D è variabile secondo il pacco.

Serie EI	B	A	E	G	D	F	R	Lm	Lamierino
	mm max	mm max	mm	mm	mm	min mm	max mm		
COLONNA 12,5	33,0	19,0	6,0	20,0	*	6,0	1,5	7,08	31,5 x 39,0
COLONNA 13	34,0	21,0	6,5	20,0	*	7,0	1,5	7,44	34,0 x 40,0
COLONNA 16	40,0	24,0	7,5	24,0	*	8,0	1,5	8,76	40,0 x 48,0
COLONNA 18	63,0	45,0	17,5	27,0	*	9,0	1,5	12,70	45,0 x 54,0
COLONNA 20	50,0	30,0	9,5	30,0	*	10,0	1,5	10,98	50,0 x 60,0
COLONNA 22	55,0	33,0	10,5	33,0	*	11,0	1,5	12,10	55,0 x 66,5
COLONNA 25	63,0	37,5	12,0	38,0	*	12,5	1,5	13,87	62,5 x 75,0
COLONNA 28	70,0	42,0	13,5	42,0	*	14,0	1,5	15,44	70,0 x 84,0
COLONNA 32	80,0	48,0	15,5	48,0	*	16,0	1,5	17,67	80,0 x 96,0
COLONNA 36	90,0	54,0	17,5	54,0	*	18,0	1,5	19,90	90,0 x 108,0
COLONNA 40	100,0	60,0	19,5	60,0	*	20,0	1,5	22,13	100,0 x 120,0
COLONNA 45	112,5	67,5	22,0	67,5	*	22,5	1,5	24,91	112,0 x 135,0
COLONNA 50	125,0	75,0	24,5	75,0	*	25,0	1,5	27,70	125,0 x 150,0
COLONNA 60	150,0	90,0	29,5	90,0	*	30,0	1,5	33,27	150,0 x 180,0
COLONNA 64	160,0	96,0	31,5	96,0	*	32,0	1,5	35,50	160,0 x 192,0
COLONNA 70	180,0	110,0	34,5	110,0	*	40,0	1,5	40,84	190,0 x 220,0
COLONNA 80	205,0	125,0	39,5	125,0	*	45,0	1,5	46,41	215,0 x 250,0
COLONNA 90	235,0	145,0	44,5	145,0	*	55,0	1,5	53,98	254,0 x 290,0